

# Bibliography

- [1] A.S. Almgren, J.B. Bell, P. Colella, and T. Marthaler. A cell-centered Cartesian grid projection method for the incompressible Euler equations in complex geometries. In *Proceedings of the AIAA 12th Computational Fluid Dynamics Conference*, San Diego, CA, June 19–22, 1995. AIAA-95-1743-CP.
- [2] N. Ashgriz and J.Y. Poo. FLAIR: flux line segment model for advection and interface reconstruction. *J. Comp. Phys.*, 93:449–468, 1991.
- [3] V. Babu and S. Korpela. Numerical solution of the incompressible three-dimensional Navier-Stokes equations. *Comput. & Fluids*, 23(5):675–691, 1994.
- [4] E.F.F. Botta and M.H.M. Ellenbroek. A modified SOR method for the Poisson equation in unsteady free-surface flow calculations. *J. Comp. Phys.*, 60:119–134, 1985.
- [5] J.U. Brackbill, D.B. Kothe, and C. Zemach. A continuum method for modelling surface tension. *J. Comp. Phys.*, 100:335–354, 1992.
- [6] M. Bussman, S. Chandra, and J. Mostaghimi. Modeling the splash of a droplet impacting a solid surface. *Phys. Fluids*, 12(12):3121–3132, 2000.
- [7] D. Calhoun and R.J. LeVeque. A Cartesian grid finite-volume method for the advection-diffusion equation in irregular geometries. *J. Comp. Phys.*, 157:143–180, 2000.
- [8] K.-H. Chen and R.H. Pletcher. Simulation of three-dimensional liquid sloshing flows using a strongly implicit calculation procedure. *AIAA J.*, 31(5):901–910, 1993.
- [9] S. Chen, D.B. Johnson, and P.E. Raad. Velocity boundary conditions for the simulation of free surface fluid flow. *J. Comp. Phys.*, 116:262–276, 1995.
- [10] S. Chen, D.B. Johnson, P.E. Raad, and D. Fadda. The surface marker and micro cell method. *Int. J. Numer. Meth. Fluids*, 25:749–778, 1997.
- [11] D.K. Clarke, M.D. Salas, and H.A. Hassan. Euler calculations for multielement airfoils using Cartesian grids. *AIAA J.*, 24(3):353–358, 1986.
- [12] E.G.M. Coenen. *Viscous-inviscid interaction with the quasi-simultaneous method for 2D and 3D aerodynamic flow*. PhD thesis, University of Groningen, The Netherlands, 2001.

- [13] A.B. Cortes and J.D. Miller. Numerical experiments with the lid driven cavity flow problem. *Comput. & Fluids*, 23(8):1005–1027, 1994.
- [14] E.F.G. van Daalen, J. Gerrits, G.E. Loots, and A.E.P. Veldman. Free surface anti-roll tank simulations with a volume of fluid based Navier-Stokes solver. In T. Miloh and G. Zilman, editors, *Proceedings 15th International Workshop on Water Waves and Floating Bodies*, Caesarea, Israel, February 27 – March 1, 2000.
- [15] E.F.G. van Daalen, K.M.T. Kleefsman, J. Gerrits, H.R. Luth, and A.E.P. Veldman. Anti-roll tank simulations with a volume of fluid (VOF) based Navier-Stokes solver. In *Proceedings 23rd Symposium on Naval Hydrodynamics*, Val de Reuil, France, September 17–22, 2000.
- [16] F.T. Dodge, S.T. Green, and M.W. Cruse. Analysis of small-amplitude low gravity sloshing in axisymmetric tanks. *Microgravity Sci. Technol.*, IV(4):228–234, 1991.
- [17] M Dreyer, A. Delgado, and H.-J. Rath. Fluid motion in capillary vanes under reduced gravity. *Microgravity Sci. Technol.*, V(4):203–210, 1993.
- [18] M Dreyer, A. Delgado, and H.-J. Rath. Capillary rise of liquid between parallel plates under microgravity. *J. Colloid Interface Sci.*, 163:158–168, 1994.
- [19] J.K. Dukowicz. Efficient volume computation for three-dimensional hexahedral cells. *J. Comp. Phys.*, 74:493–496, 1988.
- [20] G. Fekken, A.E.P. Veldman, and B. Buchner. Simulation of green-water loading using the Navier-Stokes equations. In J. Piquet, editor, *Proceedings 7th International Conference on Numerical Ship Hydrodynamics*, pages 6.3–1–6.2–12, Nantes, France, July 19–22, 1999.
- [21] D.E. Fyfe, E.S. Oran, and M.J. Fritts. Surface tension and viscosity with Lagrangian hydrodynamics on a triangular mesh. *J. Comp. Phys.*, 76:349–384, 1988.
- [22] J. Gerrits, G.E. Loots, G. Fekken, and A.E.P. Veldman. Liquid sloshing on earth and in space. In B. Šarler, C.A. Brebbia, and H. Power, editors, *Moving Boundaries V*, pages 111–120. WIT Press, Southampton, UK, 1999.
- [23] J. Gerrits and A.E.P. Veldman. Numerical simulation of coupled liquid-solid dynamics. In E. Oñate, G. Bugeda, and B. Suárez, editors, *Proceedings ECCOMAS 2000*, Barcelona, Spain, September 11–14, 2000. Paper 575.
- [24] J. Gerrits and A.E.P. Veldman. Transient dynamics of containers partially filled with liquid. In B. Šarler and C.A. Brebbia, editors, *Moving Boundaries VI*, pages 63–72. WIT Press, Southampton, UK, 2001.
- [25] J. Glimm, J.W. Grove, X.L. Li, and D.C. Tan. Robust computational algorithms for dynamic interface tracking in three dimensions. *SIAM J. Sci. Comput.*, 21(6):2240–2256, 2000.
- [26] H.P. Greenspan. *The theory of rotating fluids*. Cambridge University Press, 1969.

- 
- [27] D. Gueyffier, J. Li, A. Nadim, R. Scardovelli, and S. Zaleski. Volume of Fluid interface tracking with smoothed surface stress methods for three-dimensional flows. *J. Comp. Phys.*, 152:423–456, 1999.
- [28] P. Hansbo. Lagrangian incompressible flow computations in three dimensions by use of space-time finite elements. *Int. J. Numer. Meth. Fluids*, 20:989–1001, 1995.
- [29] F.H. Harlow and J.E. Welch. Numerical calculation of time-dependent viscous incompressible flow of fluid with free surface. *Phys. Fluids*, 8(12):2182–2189, 1965.
- [30] D.J.E. Harvie and D.F. Fletcher. A new volume of fluid advection scheme: the stream scheme. *J. Comp. Phys.*, 162:1–32, 2000.
- [31] D.J.E. Harvie and D.F. Fletcher. A new volume of fluid advection algorithm: the defined donating region scheme. *Int. J. Numer. Meth. Fluids*, 35:151–172, 2001.
- [32] P. He, M. Salcudean, I.S. Gartshore, and P. Nowak. Multigrid calculation of fluid flows in complex 3D geometries using curvilinear grids. *Comput. & Fluids*, 25(4):395–419, 1996.
- [33] B.T. Helenbrook, L. Martinelli, and C.K. Law. A numerical method for solving incompressible flow problems with a surface of discontinuity. *J. Comp. Phys.*, 148:366–396, 1999.
- [34] D.W. Hewett. The embedded curved boundary method for orthogonal simulation meshes. *J. Comp. Phys.*, 138:585–616, 1997.
- [35] C.R. Hirt and B.D. Nichols. Volume of fluid (VOF) method for the dynamics of free boundaries. *J. Comp. Phys.*, 39:201–225, 1981.
- [36] C.W. Hirt and J.P. Shannon. Free-surface stress conditions for incompressible-flow calculations. *J. Comp. Phys.*, 2:403–411, 1968.
- [37] J.Y. Huang. Moving coordinates methods and applications to the oscillations of a falling slender body. In B. Šarler and C.A. Brebbia, editors, *Moving Boundaries VI*, pages 73–82. WIT Press, Southampton, UK, 2001.
- [38] B. Iannotta. Slosh, rattle and roll. *New Scientist*, pages 32–35, 27 May 2000.
- [39] D.B. Johnson, P.E. Raad, and S. Chen. Simulation of impacts of fluid free surfaces with solid boundaries. *Int. J. Numer. Meth. Fluids*, 19:153–176, 1994.
- [40] F.Y. Kafka and E.B. Dussan. On the interpretation of dynamic contact angles in capillaries. *J. Fluid Mech.*, 95:539–565, 1979.
- [41] F.J. Kelecy and R.H. Pletcher. The development of a free surface capturing approach for multidimensional free surface flows in closed containers. *J. Comp. Phys.*, 138:939–980, 1997.
- [42] S. Kim and H.C. No. Second-order model for free surface convection and interface reconstruction. *Int. J. Numer. Meth. Fluids*, 26:79–100, 1998.

- 
- [43] D.B. Kothe. Perspective on Eulerian finite volume methods for incompressible interfacial flows. In H.C. Kuhlmann and H.-J. Rath, editors, *Free Surface Flows*, pages 267–331. Springer Verlag, New York, NY, USA, 1997.
- [44] D.B. Kothe and R.C. Msjolsness. RIPPLE: a new model for incompressible flows with free surfaces. *AIAA J.*, 30(11):2692–2700, 1992.
- [45] D.B. Kothe, W.J. Rider, Mosso S.J., Brock J.S., and J.I. Hochstein. Volume tracking of interfaces having surface tension in two and three dimensions. Technical Report AIAA 96-0859, Los Alamos National Laboratory, 1996. Presented at the 34th Aerospace Sciences Meeting and Exhibit, Reno, NV, USA, January 1996.
- [46] B. Lafaurie, C. Nardone, R. Scardovelli, S. Zaleski, and G. Zanetti. Modelling merging and fragmentation in multiphase flows with SURFER. *J. Comp. Phys.*, 113:134–147, 1994.
- [47] C.M. Lemos. Higher-order schemes for free-surface flows with arbitrary configurations. *Int. J. Numer. Meth. Fluids*, 23:545–566, 1996.
- [48] R.J. LeVeque. Cartesian grid methods for flow in irregular regions. In K.W. Morton and M.J. Baines, editors, *Numerical methods for fluid dynamics III*, pages 375–382. Clarendon Press, Oxford, UK, 1988.
- [49] P.Y. Liang. Numerical method for calculation of surface tension flows in arbitrary grids. *AIAA J.*, 29(2):161–167, 1991.
- [50] W. Lin and C.J. Chen. Automatic grid generation of complex geometries in Cartesian co-ordinates. *Int. J. Numer. Meth. Fluids*, 28:1303–1324, 1998.
- [51] N. Lock, M. Jaeger, M. Medale, and R. Occelli. Local mesh adaptation technique for front tracking problems. *Int. J. Numer. Meth. Fluids*, 28:719–736, 1998.
- [52] H. Miyata. Finite-difference simulation of breaking waves. *J. Comp. Phys.*, 65:179–214, 1986.
- [53] K. Morinishi. A finite difference solution of the Euler equations on non-body fitted Cartesian grids. *Comput. & Fluids*, 21(3):331–344, 1992.
- [54] T. Nakayama and K. Washizu. Nonlinear analysis of liquid motion in a container subjected to forced pitching oscillation. *Int. J. Numer. Meth. Engrg.*, 15:1207–1220, 1980.
- [55] S.E. Navti, K. Ravindran, C. Taylor, and R.W. Lewis. Finite element modelling of surface tension effects using a Lagrangian-Eulerian kinematic description. *Comput. Methods Appl. Mech. Engrg.*, 147:41–60, 1997.
- [56] R.B. Pember, J.B. Bell, P. Colella, W.Y. Crutchfield, and M.L. Welcome. An adaptive Cartesian grid method for unsteady compressible flow in irregular regions. *J. Comp. Phys.*, 120:278–304, 1995.

- [57] D.H. Peregrine. The effect of entrained air in violent water wave impacts. *J. Fluid Mech.*, 325:377–397, 1996.
- [58] M. Perić, R. Kessler, and Scheuerer G. Comparison of finite-volume numerical methods with staggered and colocated grids. *Comput. & Fluids*, 16(4):389–403, 1988.
- [59] J.Y. Poo and N. Ashgriz. A computational method for determining curvatures. *J. Comp. Phys.*, 84:483–491, 1989.
- [60] S. Popinet and S. Zaleski. A front-tracking algorithm for accurate representation of surface tension. *Int. J. Numer. Meth. Fluids*, 30:775–793, 1999.
- [61] W.J. Rider and D.B. Kothe. Reconstructing volume tracking. *J. Comp. Phys.*, 141:112–152, 1998.
- [62] M. Rudman. Volume-tracking methods for interfacial flow calculations. *Int. J. Numer. Meth. Fluids*, 24:671–691, 1997.
- [63] M. Rudman. A volume-tracking method for incompressible multifluid flows with large density variations. *Int. J. Numer. Meth. Fluids*, 28:357–378, 1998.
- [64] W. Rumold. Modeling and simulation of vehicles carrying liquid cargo. *Multibody System Dynamics*, 5:351–374, 2001.
- [65] Z.A. Sabeur, J.E. Cohen, J.R. Stephens, and A.E.P. Veldman. Investigation on free-surface flow oscillatory impact pressures with the Volume-of-Fluid method. In M.J. Baines, editor, *Numerical Methods for Fluid Dynamics VI*, pages 493–498. Will Print, Oxford, UK, 1998.
- [66] R. Scardovelli and S. Zaleski. Direct numerical simulation of free-surface and interfacial flow. *Annu. Rev. Fluid Mech.*, 31:567–603, 1999.
- [67] R. Scardovelli and S. Zaleski. Analytical relations connecting linear interfaces and volume fractions in rectangular grids. *J. Comp. Phys.*, 164:228–237, 2000.
- [68] T.M. Shih, C.H. Tan, and B.C. Hwang. Effects of grid staggering on numerical schemes. *Int. J. Numer. Meth. Fluids*, 9:193–212, 1989.
- [69] M. Sussman and E. Fatemi. An efficient, interface preserving level set re-distancing algorithm and its application to interfacial incompressible fluid flow. *SIAM J. Sci. Comput.*, 20(4):1165–1191, 1999.
- [70] M. Sussman, E. Fatemi, P. Smereka, and S. Osher. An improved level set method for incompressible two-phase flows. *Comput. & Fluids*, 27(5–6):663–680, 1998.
- [71] M. Sussman and E.G. Puckett. A coupled level set and volume-of-fluid method for computing 3D and axisymmetric incompressible two-phase flows. *J. Comp. Phys.*, 162:301–337, 2000.
- [72] M. Sussman and P. Smereka. Axisymmetric free boundary problems. *J. Fluid Mech.*, 341:269–294, 1997.

- [73] E.Y. Tau. A second-order projection method for the incompressible Navier-Stokes equations in arbitrary domains. *J. Comp. Phys.*, 115:147–152, 1994.
- [74] O. Ubbink and R. Issa. A method for capturing sharp fluid interfaces on arbitrary meshes. *J. Comp. Phys.*, 153:26–50, 1999.
- [75] H.S. Udaykumar, H.-C. Kan, W. Shyy, and R. Tran-Son-Tay. Multiphase dynamics in arbitrary geometries on fixed Cartesian grids. *J. Comp. Phys.*, 137:366–405, 1997.
- [76] O.V. Vasilyev. High order finite difference schemes on non-uniform meshes with good conservation properties. *J. Comp. Phys.*, 157:746–761, 2000.
- [77] A.E.P. Veldman. New, quasi-simultaneous method to calculate interacting boundary layers. *AIAA J.*, 19:79–85, 1981.
- [78] A.E.P. Veldman and M.E.S. Vogels. Axisymmetric liquid sloshing under low-gravity conditions. *Acta Astronautica*, 11(10/11):641–649, 1984.
- [79] R.W.C.P. Verstappen and A.E.P. Veldman. A symmetry-preserving Cartesian grid method for turbulent flow. To be published.
- [80] R.W.C.P. Verstappen and A.E.P. Veldman. Data-parallel solution of the incompressible Navier-Stokes equations. In P. Wesseling, editor, *High performance computing in fluid dynamics*, pages 237–260. Kluwer Academic Publishers, Dordrecht, The Netherlands, 1996.
- [81] R.W.C.P. Verstappen and A.E.P. Veldman. Spectro-consistent discretisation of Navier-Stokes: a challenge to RANS and LES. *J. Engrg. Math.*, 34:163–179, 1998.
- [82] R.W.C.P. Verstappen and A.E.P. Veldman. Numerical computation of a viscous flow around a circular cylinder on a Cartesian grid. In E. Oñate, G. Bugeada, and B. Suárez, editors, *Proceedings ECCOMAS 2000*, Barcelona, Spain, September 11–14, 2000. Paper 423.
- [83] J.A. Viecelli. A method for including arbitrary external boundaries in the MAC incompressible fluid computing technique. *J. Comp. Phys.*, 4:543–551, 1969.
- [84] J.A. Viecelli. A computing method for incompressible flows bounded by moving walls. *J. Comp. Phys.*, 8:119–143, 1971.
- [85] M.E.S. Vogels. A numerical method for the simulation of liquid-solid body dynamics. Technical Report MP 87030, National Aerospace Laboratory NLR, 1988. Presented at the 12th IMACS World Congress on Scientific Computation, Paris, France, July 1988.
- [86] J.P.B. Vreeburg. The wet satellite model experiment. Technical Report TP 94196, National Aerospace Laboratory NLR, 1994.
- [87] J.P.B. Vreeburg. Simulation of liquid dynamics onboard Sloshtat FLEVO. Technical Report TP 99236, National Aerospace Laboratory NLR, 1999.

- 
- [88] J.P.B. Vreeburg. Diagnosis of water motion in the Sloshtat FLEVO tank. Technical Report TP 2000-061, National Aerospace Laboratory NLR, 2000. Presented at the 5th International Astronautical Congress, Amsterdam, The Netherlands, October 1999.
- [89] J.P.B. Vreeburg and A.E.P. Veldman. Transient and sloshing motions in an unsupported container. In R. Monti, editor, *Physics of fluids in microgravity*, pages 293–321. Gordon and Breach Publishing, 2002.
- [90] M.W. Williams, D.B. Kothe, and E.G. Puckett. Accuracy and convergence of continuum surface tension models. Technical Report LA-UR-98-2268, Los Alamos National Laboratory, 1998.
- [91] G. Wölk, M. Dreyer, H.-J. Rath, and M.M. Weislogel. Damped oscillations of a liquid/gas surface upon step reduction in gravity. *J. Spacecraft and Rockets*, 34(1):110–117, 1997.
- [92] D.J. Wood, D.H. Peregrine, and T. Bruce. Wave impact on a wall using pressure-impulse theory. *J. Waterway, Port, Coastal, and Ocean Engng.*, pages 182–190, July/August 2000.
- [93] H. Worth. NEAR team recovers mission after faulty engine burn. Available at [http://near.jhuapl.edu/news/articles/99jan29\\_1](http://near.jhuapl.edu/news/articles/99jan29_1), January 1999.
- [94] F. Xiao. A computational model for suspended large rigid bodies in 3D unsteady viscous flows. *J. Comp. Phys.*, 155:348–379, 1999.
- [95] G. Yang, D.M. Causon, and D.M. Ingram. Cartesian cut-cell method for axisymmetric separating body flows. *AIAA J.*, 37(8):905–911, 1999.
- [96] D.L. Youngs. An interface tracking method for a 3D Eulerian hydrodynamics code. Technical Report AWRE/44/92/35, Atomic Weapons Research Establishment, April 1987.
- [97] D. de Zeeuw and K.G. Powell. An adaptively refined Cartesian mesh solver for the Euler equations. *J. Comp. Phys.*, 104:56–68, 1993.

